



Note:

1. All dimension in millimeter.
2. Tolerances of overall dimensions are according to DIN EN 735.
3. The total length & weight of the pump will differ depending on the brand of the motor.

MOTOR			
Standard Code:	IEC		
Frame:	132S	Pole:	2
Output:	5.5 / 7.5	kW	
Frequency:	50 / 60	Hz	

FLANGE RATING	
Inlet	ANSI 150lb x 2 1/2" x RF (bore size 2 1/2")
	DIN NP16 x 65 mm x RF (bore size 66 mm)
	JIS 10K x 65 mm x RF (bore size 66 mm)
Outlet	ANSI 150lb x 2" x RF (bore size 2")
	DIN NP16 x 50 mm x RF (bore size 52 mm)
	JIS 10K x 50 mm x RF (bore size 52 mm)

Model \ Item	Pump (kg)	Motor (kg)	Net Wt. (kg)
AMA-EP-G	58	42.6	100.6
AMA-EP-J	58	42.6	100.6



DWG No.

AMA003-dim

Description

AMA-EPF OUTLINE DRAWING

2020.03

Confidential : The rights of this document belong to ASSOMA INC. You may not use, reproduce, modify, adapt, publish, translate, create derivative works from, distribute, or display in any form, media, or technology without written consent from ASSOMA INC. Violators are subject to legal action. If you are not the intended recipient of this document, you should return this document immediately and inform of your contact history.